

650TM

Large bag packing machine with
integrated printer

Automatic bag sealing and
printing system designed for
medium to large products



Autobag®

BRAND AUTOMATED SYSTEMS

650™

Large bag packing machine with integrated printer

Automatic bag sealing and printing system designed for medium to large products



FEATURES AND BENEFITS

- Capable of cycling at speeds up to 40 bags per min.
- Ideal for applications that require large bags (up to 400 mm wide).
- Touch screen accesses operator tutorials, help and diagnostics.
- Capable of printing high resolution graphics, text and barcodes directly on the bags.
- Capable of being configured for left or right-hand access.
- The system features a simple design with very few moving parts, reducing lifetime cost and improving uptime.
- Height adjustment and casters for ergonomics and portability.

TYPICAL APPLICATIONS



Fulfillment Centre



E-Commerce Packaging



Healthcare



Retail shipping departments



Apparel



Industrial Component

Any application with frequent changeovers in any market

SUSTAINABILITY

As a maker of flexible packaging products, we recognise the need for greater awareness and involvement in creating a more sustainable planet – from the point of manufacture to the point of disposal.



For over a decade, we have been producing environmentally responsible products for our customers. We introduced GeoTech®, a line of pre-consumer reprocessed films that forever changed the packaging industry. We have introduced innovative, lighter gauge films that reduce the amount of material required without compromising packaging performance. In addition, our machinery technology continues to evolve with new, state-of-the-art components and engineering designed to reduce energy consumption.

SPECIFICATIONS

Weight	205 kg
Overall Size	H: 943 to 1196 mm W: 1057 mm L: 1765 mm
Electrical	110/240 VAC, 50/60 Hz, 600 Watts (VA) max
Air Feed	5 CFM/80 psi of clean, dry air
Pass-through	150 mm max
Bag thickness	35-100 µm
Bag widths	100-400 mm
Bag lengths	140-680 mm
Weight capacity	Up to 2.2 kg (with load shelf)